



Emergency Department
800 Meadows Road
Boca Raton, FL 33486
(561) 955-4425

Patient: Bernstein, E Pg 2

DOB: 9/30/1963

Age: 53yr

Pt Acnt: 1723601103

Med Rcrd: 000446213

Registration Time: 8/24/2017 1705

TRIGLYCERIDE	<150 MG/DL	NORMAL
TRIGLYCERIDE	150-199 MG/DL	BORDERLINE HIGH
TRIGLYCERIDE	200-499 MG/DL	HIGH
TRIGLYCERIDE	>499 MG/DL	VERY HIGH

Wellsoft Interface Created: 8/24/2017 1853 Last Entry: 1853

Patient: BERNSTEIN, ELIOT ; Date/Time: 8/24/2017 1810 ; 1017118313

- - - - - MYOCARDIAL INFARCTION PROFILE - - - - -

CREATINE KINASE	96	IU/L	0-177
CK MB FRACTION	1	NG/ML	0-4
CK MB RELATIVE INDEX	NOT REPORTED	%	0-2
TROPONIN I	<0.015	NG/ML	<0.050
TROPONIN I	REFERENCE:		
TROPONIN I	NEGATIVE		<0.050 NG/ML
TROPONIN I	INDETERMINATE		0.051-0.500 NG/ML
TROPONIN I	SUGGESTIVE OF MYOCARDIAL INJURY		>0.500 NG/ML

Wellsoft Interface Created: 8/24/2017 1918 Last Entry: 1918

Patient: BERNSTEIN, ELIOT ; Date/Time: 8/24/2017 1810 ; A90291022

- - - - - PT WITH INR - - - - -

PROTHROMBIN TIME	PEND	SEC	11.5-14.4	<-- Results Pendin
INR	PEND		0.9-1.2	<-- Results Pendin

NOTE: Additional Information is Available in the Sections Below.

Wellsoft Interface Created: 8/24/2017 1922 Last Entry: 1922

Patient: BERNSTEIN, ELIOT ; Date/Time: 8/24/2017 1810 ; A90291022

- - - - - PT WITH INR - - - - -

PROTHROMBIN TIME	12.5	SEC	11.5-14.4	
INR	0.9		0.9-1.2	
INR	BASED ON MEDICAL LITERATURE DATA AN INR OF 2.0 - 3.0 MAY BE CONS			
INR	PROPHYLAXIS/TREATMENT OF VENOUS THROMBOSIS AND PULMONARY EMBOLI			
INR	PREVENTION OF SYSTEMIC EMBOLISM. AN INR OF 2.5 - 3.5 MAY BE CO			
INR	MECHANICAL PROSTHETIC VALVES.			

Wellsoft Interface Created: 8/24/2017 1922 Last Entry: 1922

Patient: BERNSTEIN, ELIOT ; Date/Time: 8/24/2017 1810 ; A90291023

- - - - - PTT - - - - -

PTT	37.0	High SEC	22.0-34.8
-----	------	----------	-----------

Rad Results:

Wellsoft Interface Created: 8/24/2017 1901 Last Entry: 1901

Patient: BERNSTEIN, ELIOT ; Date/Time: 8/24/2017 1757 ; 1017118316

- - - - - HXR CHEST PORTABLE 1VIEW - - - - -

EXAM START: 8/24/2017 1835

EXAM STOP: 8/24/2017 1835

SINGLE VIEW CHEST

INDICATION- SYNCOP

COMPARISON- Most recent radiograph dated September 6, 2016.

TECHNIQUE- Single view.

FINDINGS-

Lines and tubes- none

Heart and Mediastinum- The cardiac silhouette is normal in size.

Lungs and Hila- Linear opacity along the right base that may represent platelike atelectasis. No appreciable pneumothorax. There is no hilar enlargement.

Bones and Soft tissues-There are no acute osseus findings.

Other- Not applicable.

IMPRESSION-

1. Linear right base with differential including atelectasis.



Emergency Department
800 Meadows Road
Boca Raton, FL 33486
(561) 955-4425

Patient: Bernstein, E Pg 3

DOB: 9/30/1963

Age: 53yr

Pt Acnt: 1723601103

Med Rcrd: 000446213

Registration Time: 8/24/2017 1705

QF1

-Authenticated and electronically signed by- Ricardo A Palmquist PRA,
MD

Electronically signed- 8/24/2017 6-59 PM

Read By- RICARDO A PALMQUIST M.D.

Released Date Time- 08/24/17 1901

READ BY: RICARDO A PALMQUISTM.D.

RELEASED BY: RICARDO A PALMQUISTM.D.

Wellsoft Interface Created: 8/24/2017 1925 Last Entry: 1925

Patient: BERNSTEIN, ELIOT ; Date/Time: 8/24/2017 1902 ; 1017118416

- - - - - HXR RIBS LT UNILAT 2VIEW - - - - -

EXAM START: 8/24/2017 1903

EXAM STOP: 8/24/2017 1907

RIBS SERIES

REASON FOR EXAM- PAIN.

COMPARISON- Radiograph September 6, 2016. .

FINDINGS- 4 views of the left ribs. There is a nondisplaced fracture of the sixth lateral rib, question of non-space fracture of the ninth lateral rib. No appreciable pneumothorax. Adjacent soft tissues are unremarkable. The visualized portions of the heart and lungs are normal for the technique.

IMPRESSION-

1. No displaced fracture of the left sixth lateral rib with question of nondisplaced fracture of the ninth lateral rib for correlation with point tenderness. No appreciable pneumothorax.

-Authenticated and electronically signed by- Ricardo A Palmquist PRA,

MD

Electronically signed- 8/24/2017 7-23 PM

Read By- RICARDO A PALMQUIST M.D.

Released Date Time- 08/24/17 1924

READ BY: RICARDO A PALMQUISTM.D.

RELEASED BY: RICARDO A PALMQUISTM.D.

EXHIBIT 5

EXHIBIT 6



Emergency Department
800 Meadows Road
Boca Raton, FL 33486
(561) 955-4425

Patient: Bernstein, Eliot

Pt Accnt: 1729001305

Med Rcrd: 000446213

DI Printed: 10/17/2017 1934

Patient: Bernstein, Eliot

MD ED: Fontana, Peter M.D.

DI Printed: 10/17/2017 1934

RN Eval: Erica R.N.

RN Dispo:

AFTERCARE INSTRUCTIONS

We are pleased to have been able to provide you with emergency care. Please review these instructions when you return home in order to better understand your diagnosis and the necessary further treatment and precautions related to your condition. Your diagnoses and prescribed medications today are:

This page is not a prescription.

Dx 1: Cellulitis L lower limb

Dx 2: Sprain L ankle, unspecified ligament

Dx 3: Fx L foot 5th metatarsal nondisplaced, closed

Rx 1: Norco Tablets 325mg,5mg (acetaminophen,hydrocodone)

1 tablet by mouth every 6 hrs as needed for pain (max 4 tablets per day)

Rx 2: Bactrim DS Tablets (sulfamethoxazole,trimethoprim) 800mg,160mg

160mg/tablet

1 tablet by mouth every 12 hrs for 10 days

Rx 3: Keflex Capsules (cephalexin)

500mg/capsule

1 capsule by mouth every 8 hrs for 10 days

Orders performed during ED visit

Order

XR ANKLE LEFT

XR FOOT LEFT

XR FOOT RIGHT

US LE VEN DUPLEX DVT LEFT

Procedures performed during ED visit

Procedure

Follow Up Info

Follow-up 1: Alvarez, Luis A M.D.

19801 Hampton Dr #C1-2

Boca Raton FL 33434

F/U MD Ph: (561)477-2862

F/U MD Fax: 561-477-2864

Specialty:

Follow-up 1 Date: 2-3 Days

Msg F/U MD:

Follow-up 2: Saperstein, Alan L M.D.

1905 Clint Moore Rd #214

Boca Raton FL 33496

F/U 2 MD Ph: (561)241-8668

F/U 2 MD Fax: 561-912-9556

Specialty:

Follow-up 2 Date: 5 Days

EKGs and X-Rays: If you had an EKG or X-Ray today, it will be formally reviewed by a specialist tomorrow. If there is any change from today's Emergency Department reading, you will be notified.

IMPORTANT NOTICE TO ALL PATIENTS: The examination and treatment you have received in our Emergency Department

Patient: Bernstein, Eliot

Pt Accnt: 1729001305

Med Rcrd: 000446213

DI Printed: 10/17/2017 1934

have been rendered on an emergency basis only and will not substitute for definitive and ongoing evaluation and medical care. If you have an assigned physician, or physician of record, it is essential that you make arrangements for follow-up care with that physician as instructed. If you do not currently have a physician locally, please contact our Health Navigator at 561-955-4714 and they will assist you with scheduling an appointment. Report any new or remaining problems to your physician at your scheduled appointment, because it is impossible to recognize and treat all elements of injury or disease in a single Emergency Department visit. *Significant changes or worsening in your condition may require more immediate attention. The Emergency Department is always open and available if this becomes necessary.*

General Information on CELLULITIS (skin infection)

Cellulitis is a particular type of skin infection. It results from the growth of small germs underneath the skin. Cellulitis sometimes develops around cuts, burns or scrapes, but often it develops for no apparent reason in normal, uninjured skin.

What are the symptoms?

Any area of skin can develop cellulitis. The infected area is usually red, warm, swollen and tender. It usually measures less than five inches across, but it can grow to be quite large. In addition, cellulitis sometimes produces a fever.

What can be done?

The bacteria that cause cellulitis can usually be destroyed with antibiotic medication. When treated with antibiotics, most cases of cellulitis get better over two to three days.

What are the risks?

Cellulitis does not ordinarily produce any serious medical problems. There are, however, some risks:

1. Occasionally, cellulitis produces a small pocket of pus under the skin. This problem usually requires minor surgery.
2. Sometimes cellulitis continues to get worse in spite of the antibiotics. This can be serious.
3. Occasionally, cellulitis germs spread through the blood and produce infections in other parts of the body (brain, bones or heart). This is of particular concern when dealing with cellulitis of the face.
4. Patients with other illnesses such as diabetes, poor circulation, or weak immune systems will have an increased risk of developing a serious infection.

INSTRUCTIONS

- 1) Rest.
- 2) Apply warm packs to the infected area, for 15 to 20 minutes, three to four times a day. This may help speed the healing process.
- 3) Keep the infected area elevated to help reduce swelling.
- 4) Make sure to take all medication as prescribed, even if you are feeling better. If you stop taking the antibiotic medication early, you will be more likely to get the infection back again.
- 5) If you are not allergic to them, you may take aspirin, acetaminophen (Tylenol) or ibuprofen (Advil) to help ease the pain.

WARNING: DO NOT GIVE ASPIRIN TO ANYONE LESS THAN 18 YEARS OLD.

- 6) **SEEK IMMEDIATE MEDICAL ATTENTION** if you develop any signs of worsening infection, such as:
 - A) increased pain, redness or swelling,
 - B) a high fever or
 - C) red streaks on the skin near the area of cellulitis.
 - D) Condition worsens in any other way.

Be extra careful with small children; also look for poor feeding, vomiting, increased fussiness, unusual sleepiness, difficulty breathing, a stiff neck, or decreased urination.

General Information on a SPRAINED ANKLE

The ankle joint is made up of three bones held together by several strong bands, called ligaments. If the ankle is forcefully bent, hit or twisted, one or more of these ligaments may be damaged, resulting in a "sprained ankle". Most of the time this results from sports injuries, falls or motor vehicle accidents. Depending on the circumstances, the ligaments may be only slightly damaged, or they may be completely torn in half.

What are the symptoms?

A sprained ankle produces pain that gets worse with any movement of the foot. In addition, there may be some swelling or

Patient: Bernstein, Eliot

Pt Accnt: 1729001305

Med Rcrd: 000446213

DI Printed: 10/17/2017 1934

discoloration of the skin around the ankle.

What are the risks?

Ordinarily a sprained ankle heals within 2 to 3 weeks and does not produce any serious medical problems. There are, however, some risks:

1. Severe sprains can take months to heal.
2. If the skin has been cut or scraped, it may get infected.
3. A badly sprained ankle sometimes develops severe swelling that can cut off the circulation to the foot.
4. A badly sprained ankle can lead to persistent ankle pain that lasts for months or even years.

INSTRUCTIONS

- 1) REST the ankle and give it time to heal. If necessary, use an Ace wrap and/or crutches. When the ankle is no longer painful, gradually start using the leg again, but be careful. If you put too much stress on the ankle too quickly, you could re-injure it. Remember: If it hurts to move the ankle, then you should not be moving it. If a soft cast (Jones Dressing) has been applied, it should be removed after 3 days.
- 2) If you have an Ace wrap that feels too tight, loosen it.
- 3) Keep the ankle elevated as much as possible for the first two to three days. This will help keep the swelling down.
- 4) Ice packs are helpful during the first two days. Put the ice in a plastic bag. Roll up the bag in a towel and put it on the ankle for 5 to 15 minutes at a time.
- 5) After the first two days, warm packs may help ease the pain and speed healing. Roll up a small towel. Soak it in warm water and put it on the ankle for 5 to 15 minutes at a time.
- 6) No medicine will relieve the pain completely, but ibuprofen (Advil), acetaminophen (Tylenol) or aspirin may help.
WARNING: Do not take these drugs if you are allergic to them or have any contraindications to them. Do not take these drugs if you are already taking a prescription pain medication. DON'T GIVE ASPIRIN TO ANYONE LESS THAN 18 YEARS OLD.
- 7) SEEK IMMEDIATE MEDICAL ATTENTION if:
 - A) you develop severe pain, severe swelling, numbness, tingling, weakness or discoloration in the leg, ankle or foot OR
 - B) you develop chest pain, difficulty breathing or pass out.

General Information on a BROKEN FOOT

There are 26 bones in each foot (including the toes). If the foot is forcefully bent, hit or twisted, one or more of these bones may crack, resulting in a "broken foot". Most of the time this results from sports injuries, falls or motor vehicle accidents. Medically speaking, the words "broken", "cracked" and "fractured" all mean the same thing.

What are the symptoms?

A broken foot is usually painful and swollen in the area of the cracked bone. Any movement of the foot usually makes the pain worse.

What can be done?

The best form of treatment depends on how serious the injury is. Relatively mild breaks are usually splinted for one to three days and then put in a cast for three to six weeks. If the broken bone is bent out of shape, it may need to be put back into position before it is splinted. If the bone is badly broken, it may need special treatment, or even surgery.

What are the risks?

Ordinarily, a broken foot heals in 4 to 8 weeks and does not produce any serious medical problems. There are, however, some risks:

1. If the skin has been cut or scraped, it may get infected.
2. A BADLY broken foot may also have injured nerves, tendons or blood vessels.
3. On rare occasions, severe swelling can cut off the circulation to the foot or toes.
4. Occasionally a broken foot does not heal properly, resulting in persistent pain or weakness.

INSTRUCTIONS

- 1) Take proper care of your splint (or cast).
 - A) Keep it dry. Don't take a shower until the splint (or cast) has been removed. Take a sponge bath instead.
 - B) Be careful not to break the splint (or cast).

EXHIBIT 7

Confidential Patient Information
Prescription Profile
11/25/2016 through 11/06/2017

Patient Info: ELIOT BERNSTEIN
2753 NW 34TH ST
BOCA RATON, FL 33434-3459

Patient Phone: (561)245-8588
Date of Birth: 09/30/1963
Gender: M

Patient Info: ELIOT BERNSTEIN
2753 NW 34TH ST
BOCA RATON, FL 33434-3459

Patient Phone: (561)245-8588
Date of Birth: 09/30/1963
Gender: M

Prescription Number	Medication	NDC	RPh	Prescriber	Ins. Plan(s)	Date of Service	Quantity	Price
2493784-02664	VICODIN ES 7.5-300MG TABLETS (NEW)	00074-3043-53	MJF	SEECHARAN, R.	PCHEALTH/ A4175465291271	05/26/17	10.000	0.00
2493785-02664	CYCLOBENZAPRINE 10MG TABLETS	69097-0846-15	MJF	SEECHARAN, R.	PCHEALTH/ A4175461991241	05/26/17	10.000	0.00
2500489-02664	LISINOPRIL-HCTZ 10/12.5MG TABLETS	68180-0518-02	DSH	LAINA, L.	PCHEALTH/ A7175837038661	07/02/17	30.000	0.00
2500489-02664	LISINOPRIL-HCTZ 10/12.5MG TABLETS	68180-0518-02	MJF	LAINA, L.	HTHTR / 172206754523029999	08/08/17	30.000	18.78

Total Filings: 2 Subtotal: 60.000 18.78

Store Info: 3003 YAMATO ROAD
BOCA RATON, FL 33496
(561)241-1105

Patient Info:
ELIOT BERNSTEIN
2753 NW 34TH ST
BOCA RATON, FL 33434-3459

Patient Phone:
(561)245-8588
Date of Birth:
09/30/1963
Gender:
M

Prescription Number	Medication	NDC	RPh	Prescriber	Ins. Plan(s)	Date of Service	Quantity	Price
2508851-02664	PROMETHAZINE VC W/CODEINE SYRUP	50383-0805-16	DSH	SHINTRE, L.	CTRXX /	08/10/17	100.000	23.61

Your insurance saved you \$22.98

2507477-02664	ACETAMINOPHEN / COD #3 (300/30MG) TAB	65162-0033-11	MJF	BLACK, C.	HTHTR /	08/11/17	10.000	9.14
---------------	---------------------------------------	---------------	-----	-----------	---------	----------	--------	------

Your insurance saved you \$2.85

2508307-02664	TRAMADOL 50MG TABLETS	68382-0319-10	MJF	SHINTRE, L.	CTRXX /	08/16/17	15.000	8.12
---------------	-----------------------	---------------	-----	-------------	---------	----------	--------	------

Your insurance saved you \$5.87

2508342-02664	MELOXXICAM 15MG TABLETS	69097-0159-15	MJF	FREITAG, J.	CTRXX /	08/16/17	14.000	19.54
---------------	-------------------------	---------------	-----	-------------	---------	----------	--------	-------

Your insurance saved you \$0.0500

Total Filings: 1	Subtotal: 14.000	19.54
------------------	------------------	-------

Confidential Patient Information
Prescription Profile
11/25/2016 through 11/06/2017

Patient Info:	ELIOT BERNSTEIN 2753 NW 34TH ST BOCA RATON, FL 33434-3459	Store Info: 3003 YAMATO ROAD BOCA RATON, FL 33496 (561)241-1105
Patient Phone:	(561)245-8588	
Date of Birth:	09/30/1963	
Gender:	M	
Prescription Number	Medication	Ins. Plan(s) Claim Ref# (S)
2508518-02664	PROMETHAZINE VC W/CODEINE SYRUP	RPh Prescriber SPa SHINTRE, L.
	50383-0805-16	CTRXX / 172295590113026997
		Total Filings: 1 Subtotal: 110.000 25.62
2510009-02664	AMLODIPINE BESYLATE 2.5MG TABLETS	RPh VAFAI, J.
	68180-0750-09	HTHTR / 172375499114022999
		Total Filings: 1 Subtotal: 30.000 22.56
2511613-02664	PROMETHAZINE VC W/CODEINE SYRUP	RPh SPa SHINTRE, L.
	50383-0805-16	CTRXX / 172466141992006999
		Total Filings: 1 Subtotal: 100.000 23.61
2518676-02664	HYDROCODONE/ACETAMINOPHEN 7.5-300 T	RPh JDS SEECHARAN, R.
	00406-0377-05	RKCUT / A5176841509061
		Total Filings: 1 Subtotal: 20.000 38.09

Patient Name: ELIOT BERNSTEIN
Street Address: 2753 NW 34TH ST
City: BOCA RATON
Birthday: 09/30/1963

Phone No: (561) 245-8588

Adj Date	Sold	Store #	Rx #	Fill #	Product	NDC #	Qty	Unit	Days	Prescriber Name	PT Pay Amt Total	Primary TP Name	Prior Auth	LOF
09/12/2016	09/12/2016	0428	6194857	00	IBUFROFEN 800 MG TAB	53146-0466-05	60 000	EA	30	MARCIA GILKES	0.00	FED_MEDICAID_RX_WEST		N
09/13/2016	09/13/2016	0428	6194858	00	LISINOPRIL-HCTZ 10-12.5 MG TB	68180-0518-02	30 000	EA	30	MARCIA GILKES	0.00	FED_MEDICAID_RX_WEST		N
10/21/2016	10/21/2016	0428	6194858	01	LISINOPRIL-HCTZ 10-12.5 MG TB	68180-0518-02	30 000	EA	30	MARCIA GILKES	0.00	FED_MEDICAID_RX_WEST		N
08/14/2017	08/14/2017	0428	2018878	00	HYDROCODON-ACETAMINOPH 7.5-300	00406-0377-01	5 000	EA	1	RONIK SEECHARAN	18.95	PUBLIX DIRECT CARE RX		N
08/29/2017	08/29/2017	0428	6228424	00	AMLODIPINE 10 MG TAB[1]	67877-0199-10	30 000	EA	30	LUIS ALVAREZ	0.01	Cash		N
08/29/2017	08/29/2017	0428	2019033	00	HYDROCODON-ACETAMINOPHEN 5-325	27808-0035-03	30 000	EA	7	LUIS ALVAREZ	13.35	RX PLAN		N
09/01/2017	09/01/2017	0428	6223824	00	SERTRALINE 25 MG TAB[1]	690697-0833-12	30 000	EA	30	LUIS MORA	8.79	RX PLAN		N
09/13/2017	09/13/2017	0428	2019162	00	HYDROCODON-ACETAMINOPH 7.5-300	00406-0377-01	5 000	EA	1	RONIK SEECHARAN	18.95	Cash		N
09/13/2017	09/13/2017	0428	6229566	00	CYCLOBENZAPRINE 10 MG TAB[1]	69097-0846-15	30 000	EA	15	RONIK SEECHARAN	5.49	RX PLAN		N
09/18/2017	09/20/2017	0428	6229729	00	HYDROCHLOROTHIA 25 MG TAB[1]	16729-0183-17	30 000	EA	30	JONATHAN VAFAI	4.41	RX PLAN		N
09/27/2017	09/28/2017	0428	6228424	01	AMLODIPINE 10 MG TAB[1]	67877-0199-10	30 000	EA	30	LUIS ALVAREZ	0.01	Cash		N
09/27/2017	09/29/2017	0428	6228824	01	SERTRALINE 25 MG TAB[1]	690697-0833-12	30 000	EA	30	LUIS MORA	8.79	RX PLAN		N
10/18/2017	10/18/2017	0428	2019530	00	HYDROCODON-ACETAMINOPHEN 5-325	27808-0035-03	15 000	EA	3	PETER FONTANA	15.95	PUBLIX DIRECT CARE RX		N

Date Range: From: 01/01/2015 To: 11/06/2017

Confidential Information

Printed From Facility ID 0428

11/06/2017 12:43

Patient Name:	ELIOT BERNSTEIN	Pharmacy Name:	0428								
Street Address:	2753 NW 34TH ST	Street Address:	3003 YAMATO RD								
City:	BOCA RATON	City:	BOCA RATON								
Birthday:	09/30/1963	Phone No:	(561) 998-1652								
Phone No:	(561) 245-8588	Federal Tax ID:	590324412								
Adj Date Sold	Store # Rx #	Fill # Product	NDC #	Qty	Unit	Days	Prescriber Name	PT Pay Amt Total	Prior Auth	LOF	
10/18/2017	10/18/2017 0428	6233354 00	CEPHALEXIN 500 MG CAP	69943-0102-50	30 000	EA	10	PETER FONTANA	11.10	RX PLAN	N
10/18/2017	10/18/2017 0428	6233353 00	SMZ-TMP DS TAB	65862-0420-05	20 000	EA	10	PETER FONTANA	0.01	Cash	N

TOTALS:

of Records

51

Patient Pay

145.71

Attested To By: _____ Registered Pharmacist

Disclaimer: May not reflect all prescription records

Date Range: From: 01/01/2015 To: 11/06/2017

Confidential Information

Printed From Facility ID 0428

11/06/2017 12:43